Pasos para obtener parámetros de fábrica de un Digi Connect Wan 3G



A continuación, en detalle, los pasos para restaurar los valores de fábrica del equipo Digi.

Para comenzar debe entrar al menú del Digi desde el browser con la dirección de IP física del Digi que por defecto es 192.168.1.1.

Luego continuar con los siguientes pasos...



Connect WAN 3G Configuration and Management

Home

Configuration Network Mobile Serial Ports Camera Alarms System iDigi Users Position

Applications Python RealPort

Management

Serial Ports Connections Event Logging Network Services

Administration

File Management X.509 Certificate/Key Management Backup/Restore Update Firmware Factory Default Settings

System Information

	Home	
	Getting Started	
	Tutorial Not sure wh	at to do next? This Tutorial can help.
System Summary		
	Model: Ethernet MAC Address:	Connect WAN 3G (MEI serial, Watchport sensor) 00:40:9D:37:21:54
	Ethernet IP Address: Mobile IP Address:	192.168.1.1 Not Connected
	Description: Contact: Location:	None None None
	Device ID:	0000000-0000000-00409DFF-FF372154

Home

Configuration

Network Mobile Serial Ports Camera Alarms System iDigi Users Position

Applications

Python RealPort

Management

Serial Ports Connections Event Logging Network Services

Administration

File Management X.509 Certificate/Key Management Backup/Restore Update Firmware Factory Default Settings System Information

Reboot

Logout

Factory Default Settings

Restore

Caution: Restoring the factory default settings will clear all current settings and automatically reboot the Connect WAN 3G.

Keep these settings: network, security and host keys/certificates

Deshabilitar esta función.

> Copyright © 1996-2012 Digi International Inc. All rights reserved. www.digi.com

Witeless & Mobile Technologies

Home

Configuration

Network Mobile Serial Ports Camera Alarms System iDigi Users Position

Applications

Python RealPort

Management

Serial Ports Connections Event Logging Network Services

Administration

File Management X.509 Certificate/Key Management Backup/Restore Update Firmware Factory Default Settings System Information Reboot

Logout

Factory Default Settings

Restore

Caution: Restoring the factory default settings will clear all current settings and automatically reboot the Connect WAN 3G.

🔲 Keep these settings: network, security and host keys/certificates

Luego, el equipo se restaurará, y deberá esperar unos segundos tal como lo indican las imágenes posteriores.

> Copyright © 1996-2012 Digi International Inc. All rights reserved. www.digi.com

MUSERSER HUMBLE VERHUMBER



Connect WAN 3G Configuration and Management

Successfully restored factory defaults on this device. Reboot initiated.

🕜 Help

Reboot In Progress

The Connect WAN 3G with MAC address 00:40:9D:37:21:54 is currently rebooting. You will be reconnected automatically in approximately 1 minute.

If you are not reconnected automatically click here or use the discovery utility that was provided on your CD to find this device on the network.

Copyright © 1996-2012 Digi International Inc. All rights reserved. www.digi.com





Connect WAN 3G Configuration and Management

Home

Configuration Network Mobile Serial Ports Camera Alarms System iDigi Users Position

Applications Python RealPort

Management

Serial Ports Connections Event Logging Network Services

Administration

File Management X.509 Certificate/Key Management Backup/Restore Update Firmware Factory Default Settings System Information

Home	
Getting Started	
Tutorial Not sure wh	at to do next? This Tutorial can help.
System Summary	
Model: Ethernet MAC Address:	Connect WAN 3G (MEI serial, Watchport sensor) 00:40:9D:37:21:54
Ethernet IP Address: Mobile IP Address:	192.168.1.1 Not Connected
Description: Contact: Location: Device ID:	None None None 0000000-0000000-00409DFF-FF372154

Con estos pasos, ya habrá acabado con la restauración del equipo.



Ante Cualquier inquietud, no dude con comunicarse con nosotros

soporte@wamtech.com

